







# REPLY OF THE CPIO IN THE ONLINE RTI APPLICATION DATED 03.01.2022 FILED BY SHANKAR REGD. NO. RINLT/R/E/21/00344

RINL, Visakhapatnam Steel Plant Placed an Order on M/s. Anahita Resources Pvt Ltd, Pisinikada Villege, Anakapalli for supply of 30000 MT of LAM Coke vide A/T No Pur.18.17.0016/0184 dated 19.01.2019.. The Following information may be forwarded on the above subject order:

### **Query No.1:**

Delivery Schedule with date as per contract for each rake.

#### Reply:

The Seller shall complete the delivery of the Ordered Quantity of 60,000MT in a period of five (5) Months from the date of Letter of Intent (LOI) i.e before 17.05.2019 and shall deliver @ 5 rakes (Approx. 12000 MT) per month as per below schedule.

Month	No. of Rakes
Dec.'18 (18.12.18-31.12.18)	2 rakes
Jan.'19	5 rakes
Feb.'19	5 rakes
Mar.'19	5 rakes
Apr.'19	5 rakes
May.'19 (01-05-1917.05.19)	3 rakes read with
	para 1.2 above

### Query No. 2:

Whether any amendment was given for the delivery schedule for any rake without levy of LD. If so, the reasons for the same.

#### **Reply:**

No.



Please send your reply to:

**Phones**: +91 891 – **TelFax** : +91 891 -

E-mail

विशाखपट्टणम इस्पात संयंत्र, विशाखपट्टणम-530031 Visakhapatnam Steel Plant, Visakhapatnam - 530 031

Regd. Office: Visakhapatnam Steel Project, Administrative Building, Visakhapatnam - 530 031, INDIA.

पंजीकृत कार्यालय : विशाखपट्टणम इस्पात परियोजना, प्रशासनिक भवन, विशाखपट्टणम-530031, भारत



# राष्ट्रीय इस्पात निगम लिमिटेड (भारत सरकार का उपक्रम) Rashtriya Ispat Nigam Limited (A Government of India Undertaking)

CIN No. U27109AP1982GOI003404





### Query No. 3:

The applicable LD clause as per A/T.

#### **Reply:**

In the event of the SELLER'S failure to deliver the MATERIAL within the time(s) agreed to, the SELLER shall have to pay as liquidated damages (and not by way of penalty), a sum equivalent to half percent of the price of any MATERIAL which the SELLER has failed to deliver, as aforesaid, for each and every week (part of a week being treated as a full week) during which the MATERIAL are not delivered after the contracted delivery period provided, however, such liquidated damages shall not apply to any period of extension granted by the PURCHASER under Force Majeure conditions given under Clause 19.0 herin below. The maximum amount of Liquidated Damages levied on any rake will be 10% of the value of the MATERIAL in that rake. Delivery of the MATERIAL after the same has become liable for levy of liquidated damages under this Clause shall not operate as a waiver of this right. The criteria for levying LD shall be based on the number of rakes recived in a month against the scheduled number of rakes due for delivery in a month.

## Query No. 4:

Rake wise details indicating the date as per the delivery schedule in A/T, actual delivery date for each rake, number of days delay from the scheduled date, % of LD levied, amount of LD levied for each rake as per the terms of A/T.

# **Query No. 5:**

Whether any penalties were leived on the supplies for the deviation from the contracted specifications. If so, the details of rake wise and parameter wise penalty and amount recovered may be submitted.

# **Reply to Q. No. 4 & 5:**

As per provisions of Section 8(1) (d) of RTI Act, the details cannot be furnished.



Please send your reply to:

**Phones** : +91 891 – **TelFax** : +91 891 –

E-mail :

विशाखपट्टणम इस्पात संयंत्र, विशाखपट्टणम-530031 Visakhapatnam Steel Plant, Visakhapatnam - 530 031

Regd. Office : Visakhapatnam Steel Project, Administrative Building, Visakhapatnam - 530 031, INDIA. पंजीकृत कार्यालय : विशाखपट्टणम इस्पात परियोजना, प्रशासनिक भवन, विशाखपट्टणम-530031, भारत



# राष्ट्रीय इस्पात निगम लिमिटेड (भारत सरकार का उपक्रम) Rashtriya Ispat Nigam Limited (A Government of India Undertaking)

CIN No. U27109AP1982GOI003404







## Query No. 6:

Whether the payment made to supplier are direct payment or through LC. In case of LC, the details of the date of submission of invoice amount by supplier to bank and date of release of payment and amount by bank to supplier may be submitted.

## **Reply:**

Through LC. As per provisions of Section 8(1) (d) of RTI Act, further details cannot be furnished.

**HM Sehgal** DGM (Adm.)-HOD & CPIO General Administration Department Visakhapatnam Steel Plant Rashtriya Ispat Nigam Limited



Please send your reply to:

**Phones**: +91 891 – **TelFax** : +91 891 -

E-mail

विशाखपट्टणम इस्पात संयंत्र, विशाखपट्टणम-530031 Visakhapatnam Steel Plant, Visakhapatnam - 530 031

Regd. Office: Visakhapatnam Steel Project, Administrative Building, Visakhapatnam - 530 031, INDIA. पंजीकृत कार्यालय : विशाखपट्टणम इस्पात परियोजना, प्रशासनिक भवन, विशाखपट्टणम-530031, भारत