



राष्ट्रीय इस्पात निगम लिमिटेड
(भारत सरकार का उपक्रम)
Rashtriya Ispat Nigam Limited
(A Government of India Undertaking)
CIN No. U27109AP1982GOI003404



**REPLY OF THE CPIO IN THE ONLINE RTI APPLICATION DATED 14.01.2022
FILED BY DETTI SATYANARAYANA REGD. NO. RINLT/R/E/22/00011**

Query No. 1:

Is any Vizag Steel Plant employee commits fraud for cheat any person financially that he provides employment in Vizag Steel Plant, what is the punishment is given by Vizag Steel Plant to that employee mention CDA rule .

Reply to Q. No. 1:

On omission/commission of misconduct as listed in CDA/CSO, necessary disciplinary action is taken in terms of Conduct, Discipline and Appeal (CDA) Rules in respect of executives and CSO in respect of Certified Standing Rules (CSO) and if charges are established then punishment as listed in the CDA/CSO, as the case may be, is imposed by the Disciplinary Authority.

CDA and CSO rules are available in the RINL HR Manual which is available at link - https://www.vizagsteel.com/upload_master/pages/hr_manual.asp

Query No. 2:

What remedy is given by the Vizag Steel Plant to the cheated persons.


Query No.3:

On fraud who is personally responsible in Vizag Steel Plant to cheated person.

Reply to Q. No. 2 & 3:

The applicant has sought queries based upon a hypothetical situation arising out of information sought at Para(1) and thus the same does not construed as information as defined in section 2(f) of the RTI Act.

HM Sehgal
DGM (Adm.)-HOD & CPIO
General Administration Department
Visakhapatnam Steel Plant
Rashtriya Ispat Nigam Limited



Please send your reply to:

Phones : +91 891 –
TelFax : +91 891 –
E-mail :

विशाखपट्टणम इस्पात संयंत्र, विशाखपट्टणम-530031

Visakhapatnam Steel Plant, Visakhapatnam - 530 031

Regd. Office : Visakhapatnam Steel Project, Administrative Building, Visakhapatnam - 530 031, INDIA.

पंजीकृत कार्यालय : विशाखपट्टणम इस्पात परियोजना, प्रशासनिक भवन, विशाखपट्टणम-530031, भारत