







27.05.2022

REPLY OF THE CPIO IN THE ONLINE RTI APPLICATION DATED 16.05.2022 FILED BY SHRI K VENKATANAIDU REGD. NO. RINLT/R/E/22/00099

Query:

All the documents proposed and approval breakup of CTC relating to recruitment notifications i.e advertisement number 05/2018 and advertisement number 06/2018 please be provided.

Reply:

There is no approval for the break-up of CTC as sought. Further, it may please be noted that the CTC mentioned in the Rectt. Advt. No.05/2018 and 06/2018 is indicative and not exhaustive.

The above information is furnished to the best of my knowledge and ability.

In case you desire to prefer an appeal against the information furnished, in pursuance with Clause no. 7(8) of RTI Act-2005, you may do so to the Appellate Authority designated by VSP as per details furnished below within a period of thirty days.

Appellate Authority

Sri F. K. Lakra CGM (TA) Room No.16, 1st Floor, Town Admn Deptt, RINL/Visakhapatnam Steel Plant, Visakhapatnam-530032.



HM Sehgal DGM (Adm.)-HOD & CPIO General Administration Department Visakhapatnam Steel Plant Rashtriya Ispat Nigam Limited



Please send your reply to:

Phones : +91 891 – **TelFax** : +91 891 –

E-mail :

विशाखपट्टणम इस्पात संयंत्र, विशाखपट्टणम-530031 Visakhapatnam Steel Plant, Visakhapatnam - 530 031

Regd. Office : Visakhapatnam Steel Project, Administrative Building, Visakhapatnam - 530 031, INDIA. पंजीकृत कार्यालय : विशाखपट्टणम इस्पात परियोजना, प्रशासनिक भवन, विशाखपट्टणम-530031, भारत