







18.08.2022

REPLY OF THE CPIO IN THE ONLINE RTI APPLICATION DATED 16.08.2022 FILED BY SHRI ADARSH KAPUR REGD. NO. RINLT/R/E/22/00128

Query:

Please send name, email, telephone no., and official address of following persons in all your all plants:

- 1. Manager Instrumentation
- 2. Manager Energy Conservation
- 3. Manager Maintenance
- 4. G M Technical
- 5. Manager / In charge Boilers
- 6. Manager Environment

Reply:

Request is not clear. Designations are not matching to our designations.

The above information is furnished to the best of my knowledge and ability.

In case you desire to prefer an appeal against the information furnished, in pursuance with Clause no. 7(8) of RTI Act-2005, you may do so to the Appellate Authority designated by VSP as per details furnished below within a period of thirty days.

Appellate Authority

Mr.N.V. Swamy
CGM(RMHP, CO, SP&RMD),
Room No. 205, 2nd Floor,
ED (Works) Building,
Rashtriya Ispat Nigam Limited,
Visakhapatnam Steel Plant,
Visakhapatnam-530031.



HM Sehgal DGM (Adm.)-HOD & CPIO General Administration Department Visakhapatnam Steel Plant Rashtriya Ispat Nigam Limited



Please send your reply to:

Phones: +91 891 – **TelFax**: +91 891 –

E-mail :

विशाखपट्टणम इस्पात संयंत्र, विशाखपट्टणम-530031 Visakhapatnam Steel Plant, Visakhapatnam - 530 031

Regd. Office : Visakhapatnam Steel Project, Administrative Building, Visakhapatnam - 530 031, INDIA. पंजीकृत कार्यालय : विशाखपट्टणम इस्पात परियोजना, प्रशासनिक भवन, विशाखपट्टणम-530031, भारत