



राष्ट्रीय इस्पात निगम लिमिटेड
(भारत सरकार का उपक्रम)
Rashtriya Ispat Nigam Limited
(A Government of India Undertaking)
CIN No. U27109AP1982GOI003404



29.02.2024

**REPLY OF THE CPIO IN THE ONLINE RTI APPLICATION DATED 19/02/2024
FILED BY MS PRASANTHI REGD. NO. RINLT/R/E/24/00023**

Query. No. 1:

How many non ex employees and how many executives are on rolls at present.

Reply:

The number of Executives and Non-Executives in RINL as on 01.02.2024 is as follows:
Executives: 4427 and Non-Executives: 9218.

Query. No. 2:

Out of all employees how many employees are currently residing in quarters.

Reply:

No of employees residing in Ukkunagaram is furnished below:

Executive: 1979 and Non Executive: 3357 (as on 20-02-24).

Query. No. 3:

Total number of available A type, B type, C type, C-D type and D type quarters.


Query. No. 4:

How many are occupied in each type of Quarters by employees.

Reply for Q. No. 3 & 4:

Type of Quarters	Available (No. of qtrs.)	Occupied by Employees(No of qtrs., as on 20-02-24)
A- type	2112	960
B- type	3126	2534
C- type	1364	1184
CD-type	156	132
D-type	275	244

-2-



Please send your reply to:

Phones : +91 891 –
TelFax : +91 891 –
E-mail :

विशाखपट्टणम इस्पात संयंत्र, विशाखपट्टणम-530031

Visakhapatnam Steel Plant, Visakhapatnam - 530 031

Regd. Office : Visakhapatnam Steel Project, Administrative Building, Visakhapatnam - 530 031, INDIA.

पंजीकृत कार्यालय : विशाखपट्टणम इस्पात परियोजना, प्रशासनिक भवन, विशाखपट्टणम-530031, भारत



राष्ट्रीय इस्पात निगम लिमिटेड
(भारत सरकार का उपक्रम)
Rashtriya Ispat Nigam Limited
(A Government of India Undertaking)
CIN No. U27109AP1982GOI003404



-2-

Query. No. 5:

What is the process you are implementing in identifying Quarters which are occupied by outsiders in the name of employees.

Reply:

Query is not clear.

Query. No. 6:

What is the procedure/action you are taking at present for people who are residing in Township by unauthorised manner.

Reply:

Cases are dealt as per the House Allotment Rules of the Company.

The above information is furnished as received from the concerned DPIO / Department.


In case you desire to prefer an appeal against the information furnished, in pursuance with Clause no. 7(8) of RTI Act-2005, you may do so to the Appellate Authority designated by VSP as per details furnished below within a period of thirty days

Appellate Authority

Sri G. Gandhi
CGM (HR) & First Appellate Authority,
Room No.213, 1st Floor,
Main Administrative Bldg,
RINL/Visakhapatnam Steel Plant,
Visakhapatnam-530032.

हिरैन्द्र

HM Sehgal
DGM (Adm.) -HOD & CPIO
General Administration Department
Visakhapatnam Steel Plant
Rashtriya Ispat Nigam Limited



Please send your reply to:

Phones : +91 891 –
TelFax : +91 891 –
E-mail :

विशाखपट्टणम इस्पात संयंत्र, विशाखपट्टणम-530031

Visakhapatnam Steel Plant, Visakhapatnam - 530 031

Regd. Office : Visakhapatnam Steel Project, Administrative Building, Visakhapatnam - 530 031, INDIA.

पंजीकृत कार्यालय : विशाखपट्टणम इस्पात परियोजना, प्रशासनिक भवन, विशाखपट्टणम-530031, भारत