

# राष्ट्रीय इस्पात निगम लिमिटेड

(भारत सरकार का उपक्रम)

### Rashtriya Ispat Nigam Limited (A Government of India Undertaking) CIN No. U27109AP1982GOI003404





Ref. No: RINLT/R/P/22/00013 Dated.04.03.2022

To, Sri Bajrang Thakur, Infront of Appolo Hospital, Ramnagar Ligiyadih, Bilaspur, Chhatisgarh-495006.

> Sub: Information sought under RTI Act-2005. Ref: Your application dated 03.02.2022.

Dear Sir.

This has reference to your letter cited above seeking information under the provisions of RTI Act-2005. The details of information sought and reply there is given below.

## Information Sought:

Pertaining to the Execution of contractual work for Appointment of Agent for participation in loading supervision Jobs of Boiler Coal Supplies from Coal Companies, M/s.MCL, M/s. SCCL and others to Visakhapatnam Steel Plant and Minor Repair of BOX Wagotts at M/s.MCL, lalcher against Tender (ITT)/RFX No. 2100012712/PABC/M R B W. Period to which the information relates September 2020 to August 2021.

a) Did RINL issue any letter regarding non-performance of the work to the agency

#### Reply:

Yes.

b) If so, kindly provide a copy of the said letter?

#### Reply:

RINL has issued letter regarding non-performance of the said work. Copies of letters had been given to you vide our letter No. RINLT/R/P/21/00111 dtd. 23/10/2021. In this regard, a copy of the Letter bearing No. Pur.19.66.PABC/2021 dtd. 24/03/2021 is once again given to you and enclosed here with.

c) Is this Agency banned for participation in your tenders like loading supervision jobs of Boiler Coal as well as iron ore work.

#### Reply:

No.



Please send your reply to:

Phones

91 891 -

TelFax

91 891 -

E-mail

विशाखपड्रणम् इस्पात संयंत्र, विशाखपड्रणम-530031 Visakhapatnam Steel Plant, Visakhapatnam - 530 031

Regd. Office: Visakhapatnam Steel Project, Administrative Building, Visakhapatnam - 530 031, INDIA. पंजीकृत कार्यालय : विशाखपट्टणम इरपात परियोजना, प्रशासनिक भवन, विशाखपट्टणम-530031. भारत



# राष्ट्रीय इस्पात निगम लिमिटेड

(भारत सरकार का उपक्रम)

# Rashtriya Ispat Nigam Limited

(A Government of India Underlaking) CIN No. U27109AP1982GOI003404







Ref. No: RINLT/R/P/22/00013

Dated.04.03.2022

d) If so, how many years agency will not able to participate in the above tenders. Kindly provide information for the above.

### Reply:

Since answer for (c) NO, this question does not arise.

e) Any order has been passed for blacklisting/banning/foreclosure of contract on account of non performance against the agency. If so kindly provide letter/notice issued to agency against the above contract.

### Reply:

No, such order has been passed.

The above information is furnished to the best of my knowledge and ability.

In case you desire to prefer an appeal against the information furnished, in pursuance with Clause no. 7(8) of RTI Act-2005, you may do so to the Appellate Authority designated by VSP within a period of thirty days.

Appellate Authority
Sri DESHIKACHAR
CGM (Mktg)I/c
Room No.264, 'C' Block, 1st Floor,
Main Administrative Bldg,
RINL/Visakhapatnam Steel Plant,
Visakhapatnam-530031.

Encl: as above

Yours sincerely For Visakhapatnam Steel Plant

> (H.M.Sehgal) DGM (Admn)I/c – CPIO

PRIDE

Please send your reply to:

Phones : +91 891 -

TelFax : +91 891 -

E-mail

विशाखपष्टणम इस्पातं संयंत्र, विशाखपष्टणम-530031 Visakhapatnam Steel Plant, Visakhapatnam - 530 031

Regd. Office : Visakhapatnam Steel Project, Administrative Building, Visakhapatnam - 530 031, INDIA. पंजीकृत कार्यालय : विशासपट्टणम इस्पात परियोजना, प्रशासनिक भवन, विशासपट्टणम-530011, भारत



Rof: Pur. 19.66/PABC 2621

Dt: 24/03/2021

M's AKA Logistics Pvy Ltd Kir i "From 2004 a. J. Bose Road Chinakoot Building k Cl Kali A. B. 220

Kind Ann: Mr.S.K.Mchapatra

Dear Sir.

oubt. Abnormal trafficit to plan reception fill for could take a dispatched from Mines of Markington, the fill of the LP.

Ref to Mork Program Adaptor Page 18 hours

To the contract of the contrac

As the control of the

1,771		t ta i ta i	<b>14</b> 11	THE STATE OF	
1 25 de				(0.55)	Transii
November 2		ad vice/sec			
1					
2 24 7 T					4,30
January	Kaling Page			038 70 T	STAR
2021			in the least of th		98 112
Control of the last of the las	ALCOHOL: N		<b>显现现。有关和</b> 蒙	DIN WANT	

Please by Informed that the bills dubablied by you towards services rendered are being processed in accordance with the provisions of the Victo Order.

Contd...2.

And Then

Decoments to risked under RU Act 2008

Mr. AR A Longistics Problem is appliantable on the the weight of the rakes as determined as following policies of Mr. 2001 resonable designs on both no less and all perfects that because to perfusions of Mr. 2002 ages than only a row on level pelow 1.50%.

This may please of the area of VERN BUILDING TANK

rome fighteddy. 1917 Missibbbattiam 31, 1 Hent

TANK!

Decoments formulated upon ACT \$ 1,2005